

Wim Van der Valk Continental »Infinity 22«

Model:	Continental II – 23.00 Aluminium/IPS – Flybridge
Price:	1.790.000 € VAT included
Year	2010 (Delivery date July 2010)
Location:	La Spezia, Italy
Engine hours:	1st: 1.476h 2nd: 1.487h 3rd: 1.477h
Generator hours:	124h & 975h
Flag:	Dutch flag
Overall size:	Length 23.07 m Beam 5,60 m Draft: 1.5m
Displacement:	49.850 kgs (MOC) & 58.900 (LDC)
Material:	Aluminium
Colour:	Blue hull
Engines:	3x Volvo Penta IPS 800 EVC-D / D11-600
Fuel (Diesel) tank:	10.000 l. (2 tanks > 6000 & 5000 liters)
Water tank:	1.650 l.
Wastewater tank:	1.000 l.
Layout:	4+1 crew

Standard equipment

Propulsion / Steering

- 3 x Volvo Penta IPS 900 EVC-E.
- Hydraulic trim system.
- Full Volvo Penta IPS drive system.
- Electric steering system (Volvo Penta IPS).
- Volvo EVC electronic engine control system.
- 7" Full Colour Digital Volvo Penta Motor Management System.
- 35HP Hydraulic bow thruster.
- Naiad Dynamics 254 Hydraulic fin stabilizers (only underway).
- 2x Docking stations Starboard and Portside on the aft deck.

General (Exterior)

- Full aluminium hull & superstructure (special seaworthy shipbuilding Aluminium (AlMg4.5Mn - H321/H111), with certificate).
- Hull/superstructure exterior sandblasted or grinded / inside will be acid treated.
- High Quality 2-component "paint" system AWL-Grip (according to COT norms).
- Antifouling paint 2023
- Full 15mm solid teak decks, also on stairs, swimming platform & fly bridge.
- Front deck sunbathing area.
- Stainless steel (316) rubbing strakes on Port and Starboard side.
- Luxury stainless steel (316) oval railing.
- Luxury stainless steel (316) bulwark capping.
- 8 St. Steel (316) bollards [4x2] front and aft, plus 3x2 clamps mid ship.
- 2 St. Steel (316) bollards on swimming platform.
- St. Steel side (316) stepladder (also to be used as swimming ladder).
- Fender storage incorporated in superstructure.

- Radar mast on the flybridge.
- Teakwood wheelhouse doors incl. double glazed security glass.
- Grey tinted double-glazed & hardened security glass windows.
- Stainless steel (316) portholes with fly-screens.
- Stairs to swimming platform secured by aluminium doors.
- Teakwood steps on outside stairs with built-in lighting.
- Exterior tables in teak wood.
- Luxury exterior upholstery (incl. Seats, sun beds, covers etc.).
- Large entrance/service hatch to engine room on swimming platform incl. automatic door.

Ships systems & components (Exterior)

Fly bridge

- The flybridge is built according to the wishes of the customer.
- Bimini Top
- The following items are included:
 - 2 helm seats.
 - U-shaped sofa.
 - Table.
 - Washbasin (cold and hot water)
 - Refrigerator
 - Windscreen with stainless steel (316) framing.
 - Cover/Hatch over entrance to fly bridge.
 - Hydraulic Crane for tender boat (Steelhead 450 kg lifting capacity).

General (Interior)

- The entire ship is thermally insulated PU foam.
- 3-stateroom, 1 master Cabin with 1 dubbel bed and 2 VIP cabins with 2 single beds
- 1 Crew Cabin with 2 singel beds.
- Interior carpentry in Cherry wood.
- Interior fully spray-painted (high gloss finish optional).
- Interior built with high quality solid wooden framework.
- Escape hatch via crew cabin and escape door via master cabin.
- Marble worktops in galley and bathrooms.
- Marble shower cabins and (bottom half) bathroom/toilet walls.
- Solid wooden floors in galley and bathrooms/toilets.

Ships systems and components (Interior)

- Automatic fire extinguishing system in the engine room
- The entire engine room is fitted with a system of sound-dampening materials.
- Engine room ventilation system.
- 4x Shower cabins with security glass doors.
- High-quality sanitary equipment, incl. toilet and bathroom accessories (Hans Grohe & Axor Montreux).
- 1x High quality electric steering chair (Opacmare)

Deck equipment

- 1 x Searchlight Double Haloge.
- 1 x Air horn
- 3 x Double-arm windscreen wipers with adjustable interval and sprayers.
- 1 x Loudhailer.

- Electric anchor winch (Ital winch 2019)
- Stainless steel Pool anchor.
- 100m (13mm) stainless steel anchor chain and anchor roll.
- 2 x Electric capstans at cockpit deck.
- Anchor wash connection.
- Shower with hot & cold water on swimming platform.
- Hydraulic gangway in box.
- 2 x Shore connections For water.

Air-conditioning system

- MarvAir full auto-reverse tropical air-conditioning system (Delta T: 15 degrees Centigrade's) with chillers in engine room. Per area separately adjustable.

Heating system

- Diesel heater (Kabola B75-combi) for heating and hot water system.
- 2x electric boiler (2x165L) hot water

Fuel system

- Double diesel filters (Volvo Penta 877770) (2 filters per engine).
- Volvo Lucas filters for Kabola & Gensets.
- Magnetic Fuel filters, Algae-X fuel conditioners (to destroy bacteria in diesel).
- Diesel transfer pump between the 2 diesel tanks (Jabsco).

Fresh water system

- PE water tanks (1650l).
- Water-pump (Gianesshi water pressure system), incl. back-up pump.

Wastewater system

- PE wastewater tank (1000l) with extracting possibility and overflow security. Incl. Tank level meter.
- 4x Electric toilets/bidets.
- Grey/Black water pump (Gianesshi) incl. back-up pump.
- Shower pumps.

Bilge system

- 4 x Automatic bilge pump.
- 1 x Manual bilge pump.

Miscellaneous

- Electrolux Central vacuum cleaning system.

Galley equipment

- 1 x American fridge.
- 1 x Ceramic/Induction cook top BOSCH
- 1 x Extractor fan WHIRLPOOL
- 1 x Washing machine MIELE
- 1 x Dryer MIELE
- 1 x Dishwasher BOSCH
- 1 x Combi oven BOSCH
- 1 x Waste compactor
- 1 x LIEBHERR wine cooler 2 levels for 10 and 20 bottles.

Electric systems & Components**Generators**

- 1 x Mastervolt 25 Ultra sound damped 1500 rpm 25 kW
- 1 x FISCHER PANDA 18 kW 230V 0h

Battery sets (change in 2021).

- 12 x 2,27 Volt 200 amp = 27,24 volt (domestic battery bank).
- 6 x 12 Volt 140 amp type AGM (for main engines).
- 2 x 12 Volt 90 amp type AGM (for generators).
- Sentinel marine system

Chargers

- 1 x Mastervolt chargermaster Plus 24/110-2 (for service batteries) replace 2021
- 1 x Mastervolt 24V 75 amp. (for engine batteries)
- 1 x Mastervolt 12V 10 amp (for generator batteries)

Inverter

- 1 x 5 kW Mastervolt inverter 24/230 Volt .

Shore power connection

- 1 x 230 volt 32 amp (for air-conditioning).
- 1 x 230 volt 32 amp (for domestic power consumers).

Switch panels 230 volt

Switch panels have been equipped with “double pole” fuses and where necessary “earth fault” and “engine protection systems”. The switching between shore, generators and inverter is fully automatic and “fool proof”. A 230v indication - monitoring system is mounted in the steering position.

Switch Panels 24 Volt

A main switchboard is mounted in the engine room and is equipped with “double pole” fuses and where necessary engine security switches. Also a professional “earth fault” monitoring system is installed. A 24 volt dc indication & monitoring system is installed in the steering position.

Dashboard wheelhouse

- Equipment flush mounted & equipped with carbon fibre panel.

Cable system

Type cables and installation according to latest classification demands. Only professional connectors have been used. Cables are heat resistant and have separate fuses.

Lighting system (all LED system)

- Salon, dinette, galley and all other (sleeping etc.) cabins are equipped with LED spots with dimmers.
- Wheelhouse equipped with night-navigation lighting system.
- Indirect lighting is installed in several areas.
- Engine room equipped with ceiling light panels.
- Deck lights.
- Furthermore “foot” lighting is installed around main decks and fly bridge.
- Also all the stairs will be fitted with lights.
- All outside lighting is waterproof.

Navigation lighting

- 1 x Navigation lights system for yachts up to 50 meters.
- 1 x Searchlight Double Halogen

Switching materials

- Type BTicino.

Entertainment system

- 1 x Satellite TV System KVH M7.
- 1 x Satellite Tel/Fax/Internet System Mini-V-sat V7.

Salon:

- 1 x Television on vertical lift system.

- 1 x Bose Lifestyle Dolby digital surround system.
- Samsung smart TV.

Master Cabin:

- 1 x Television
- Smart TV - Samsung
- Bose system

Other cabins:

- 1 x Television

Flybridge extension:

- 1 x Music system on flybridge.

Internet consist of:

- 1 x UMTS incl. WiFi system.

External communication**Wheelhouse**

Autopilot consists of:

Raymarine P70 RSM Autopilot replace 2022

EV-2 is designed for the latest drive-by-wire steering systems. Thanks to the intelligent ST8001 sensor core, the autopilot automatically evolves and adapts to your vessel's steering characteristics without any user adjustment. Precision monitoring of heading, pitch, roll, and yaw allowing the autopilot to evolve instantly as sea conditions and vessel dynamics changes.

ST100 Autopilot Control remote

The ST100 autopilot control head is designed for power craft. Advanced LED backlighting offers low power consumption and delivers vibrant colour and contrast. Wide horizontal and vertical viewing angles ensure the display can be seen clearly from acute positions.

Raymarine C140 Axiom Chart plotters

consist of: 2x Raymarine C140W display's Elegant, flexible, and simple to use, C-Series multifunction displays will transform your helm station into a powerful bridge navigation system. Each C-Series display is a fully self-contained multifunction navigation display equipped with a new fast dual core processor plus a third dedicated graphics processor, delivering super fast and responsive performance.

Raymarine Radar

Consist of: 1x 4 ft open array scanner

AIS system E32158

consist of: 1x Raymarine AIS Transceiver Operating in the VHF maritime band, the Raymarine AIS system enables the wireless exchange of navigation status between vessels and shore-side traffic monitoring centers. Commercial ships, ocean-going vessels and recreational boats equipped with Raymarine AIS transmitters broadcast AIS messages that include the vessel's name, course, speed and current navigation status.

VHF System

consist of: 2x Raymarine VHF RAY240E Raymarine's premium RAY90 radio packs top-of-the-line communications features into a compact, modular design that works with large vessels alike. It includes a full-featured 25 watt VHF radio with Class D Digital Selective Calling (DSC), a full-featured loudhailer/foghorn and an internal multi-station intercom.

Multifunctional display consist of:

2 x Raymarine ST80 multifunctional displays.

Sensors consist of:

- 1 x GPS sensor.
- 1 x Depth/speed sensor replace 2023
- 1 x Wind sensor.

Additional Computer/Navigation system consist of:

- 1 x Receiver for weatherfax and navtex.
- 1 x Aerial for receiver.

Flybridge consist of:

- 1 x Raymarine ST100 Autopilot Control remote.
- 1 x Raymarine C140chartplotter.
- 1 x Raymarine VHF RAY240E.
- 1x Raymarine multifunctional display.

Camera system consist of:

- 1 x Camera IP, Starboard view.
- 1 x Camera IP, Port view.
- 1 x Camera IP, aft view.
- 1x Camera IP Engine room
- 1x Saloon camera for protection with detector via app for telephone etc.
- 1x Cockpit camera for protection with detector via app for telephone etc.

Visible on navigation screens in wheelhouse, IP camera's on all locations viewable.





Safety equipment

- 8x fire extinguisher approved until 12-2025.
- 2x life rafts approved until 2025
- lounge, cabins and corridors with smoke

Other

All other used materials and components such as plumbing materials, cocks, valves, (weed) filters, cables, couplings etc. are of professional and top-quality and according to all classification demands. Furthermore a manual plus full selection of technical drawings is included. The ship is built and approved according to CE-class A (Ocean).

Continental II Flybridge 2300x560









AGENCIJA AG64 d.o.o.

📍 Ul. Jožeta Jame 14,
1000 Ljubljana, Slovenia
☎ +386 40 238 204
✉ info@ag64.eu
🌐 www.ag64.eu



















